

SODIUM NITRATE

Product Code:

Date of issue:

002/07-US

SAFETY DATA SHEET

January 2014

Supersedes: October 2012

PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

Product identifier

Sodium Nitrate / Niterox

QSodium Nitrate

Sodium Nitrate Technical Grade Sodium Nitrate Industrial Grade Sodium Nitrate Standard Grade

Sodium nitrate Refined Grade - Thermosolar - Crystals

Recommended uses:

Industrial use in formulation of preparations, intermediate use and end-use in industrial settings.

Industrial end-use as energy storage salt.

Restrictions on uses:

Food additive, reagent in water treatment, ingredient in drain cleaners, professional and consumer end-use as fertilizer,

formulation of preparations with an end-use as fertilizer.

Supplier

SQM North America

2727 Paces Ferry Rd, Building Two, Suite 1425

Atlanta, GA 30339

Company Telephone/Fax **Emergency Telephone Number** (770) 916 9400 / (770) 916 9404 (800) 424 9300 (CHEMTREC)

Distributed by:

The Science Company 7625 W. Hampden Ave, #14 Lakewood, CO 80227

Ph: 303-777-3777 Fax: 303-777-3331

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification of the chemical in accordance with 29CFR §1910.1200

Hazard classes and Hazard categories

Hazard statements

Oxidizing solid, Cat. 3

May intensify fire; oxidizer

Midly irritating to eyes, cat. 2B

Causes eye irritation.

Label elements

Hazard pictograms





Signal word

Hazard Statements

Warning

May intensify fire; oxidizer

Causes eye irritation.

Precautionary Statements

Keep away from flammable / combustible / reducing materials.

Wear eye protection. Wash hands thoroughly after handling.

In case of fire: use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Dispose of contents/container according to local/state/federal regulations.

Other hazards

None

SAFETY DATASHEET

SODIUM NITRATE

002/07-US

Product Code:

Date of issue: January 2014 Supersedes: October 2012

COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT NAME

Substance name	CASNo	EC No	Concentration
Sodium nitrate	7631-99-4	231-554-3	> 95 %
Potassium (K+)			< 2%
Chloride (Cr)			< 1%
Sulphate (50_4^2)			< 2 %
Magnesium (Mg. ²)			< 0.5 %
Calcium (Ca•2)			<0.2 %
Perchlorate (CIO ₄₋)			0.01-0.S %
lodate (10 ₃₋₎			< 0.01%

For specific details on composition according to the product grade, see product data sheet

FIRST AID MEASURES

Description of first aid measures

General information

In case of persisting adverse effects consult a physician.

Never give anything by mouth to an unconscious person or a person with cramps.

In case of inhalation

Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention for any breathing difficulty.

Incase of skin contact

Wash with plenty of soap and water. Remove contaminated, saturated clothing immediately.

If skin irritation occurs: Get medical advice/attention.

In case of eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of ingestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

The following symptoms mayoccur:

Incase of inhalation Irritation to respiratory tract

Delayed lung effects after short term exposure to thermal degradation products

May cause redness or irritation Incase of skin contact Incase of eye contact Causes serious eye irritation.

Incase of ingestion Ingestion of large amounts may cause: Gastrointestinal disturbances

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

S. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Use any suitable mean for extinguishing surrounding fire. Spray water for small

fires.For large fires flood with abundant water.

Unsuitable material: None, but attention should be paid to compatibility with chemicals surrounding.

Specific hazards arising from the chemical

Oxidizer. Contact with combustible materials will not cause spontaneous ignition, however, sodium nitrate will enhance an existingfire.

Thermal decomposition can lead to the escape of toxic/corrosive gases and vapours.

Thermal decomposition products: Nitrous oxides (NOx), sodium nitrite and sodium oxide.

SQM THE WORLDW t DE BUSINESS FORMULA

PRODUCT NAME

Product Code:

SAFETY DATA SHEET SODIUM NITRATE

SODIUM NITRA

Date of issue: January 2014 Supersedes: October 2012

Protective equipment and precautions for firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (self contained breathing apparatus (SCBA)).

G. ACCIDENTAL RELEASE MEASURES

Personal precautions

Provide adequate ventilation. Wear personal protection equipment (Section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Ensure waste is collected and contained.

Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal or recovery.

Unsuitable material for containment/taking up: Do not absorb in saw-dust or other combustible absorbents.

Other information

None

11. HANDLING AND STORAGE

Precautions for Safe Handling

 $A void \, generation \, of \, dust. \, Provide \, a dequate \, ventilation. \, We ar \, personal \, protective \, equipment. \, Wash \, hands \, thoroughly \, after \, handling. \, Do not eat, \, drink \, or \, smoke \, when \, using \, this \, product. \, Keep \, away \, from \, flammable, \, combustible \, and \, reducing \, substances.$

Conditions for safe storage, including any incompatibilities

Keep/store only inoriginal container. Store in a well-ventilated place. Keep container tightly closed.

Do not storetogether with: Combustible substance, reducing agents

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

S. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Occupational exposure Imits

Sodium nitrate:

OSHA PEL Not Established

STEL/ceiling Not Established

ACGIH TWA Not Established (2012 TLVs® and BEIs®)

STEL/cei ling Not Established (2012 TLVs® and BEIs®)

Derived No-Effect Level (DNEL) suggested by the manufacturer

() 00)			
Workers (industrial/professional):			
DNEL Human, dermal, long term (repeated):	120.8 mg/kg/day(systemic)		
DNEL Human, inhalation, long term (repeated):	136.7 mg/m3 (systemic)		

Derived No-Effect Level (DNEL) is the level of exposure to the substance above which humans should not be exposed.

Engineering controls

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal Protective Equipment

Eye/face protection Chemical goggles required all the time.

Skin Protection Nitrile rubber gloves, over 0.11 mm thickness, > 480 min breakthrough time,

recommended.

Respiratory Protection Wear respiratory protection, where airborne concentrations are expected to

exceed exposure limits

General Hygiene Considerations

Avoid contact with eyes and skin. Wash hands thoroughly after handling. Have eye-wash facilities immediately available.

SAFETY DATA SHEET

SODIUM NITRATE

002/07-US

Date of issue:

January 2014 Supersedes: October 2012

PHYSICAL AND CHEMICAL PROPERTIES

Product Code:

Information on basic physical and chemical properties

PRODUCT NAME

Solid, prilled or crystalline Appearance

Colour White Odour Odourless **Odour Threshold** No applicable

pH value 8-10 (5% aqueous solution) 307°C/584°F at 1013 hPa Meltingpoint / freezing range

Boiling temperature / boiling range Not applicable Flash point Not applicable Vapourisation rate / Evaporation rate No dataavailable Not flammable Flammable solids Explosion limits (LEL, UEL) Not applicable

Vapour pressure Considered negligible (based on melting point)

Vapour density No data available Density 2.26 at 20°C/68°F

Solubility > 100g/Lat 20°C/68°F (water)

Partition coefficient n-octanol/water Not applicable Auto Ignition temperature (All) Notapplicable Decomposition temperature >sso c;1022°F Viscosity Not applicable Explosive properties Not explosive Oxidising properties Oxidizer

Other information

None

10. STABILITY AND REACTIVITY

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stable under normal storage and temperature conditions.

Possibility of hazardous reactions

None identified

Conditions to avoid

Keep away from flammable, combustible and reducing substances.

Incompatible materials

Flammable, combustible and reducing substances under specifc conditions.

Hazardous decomposition products

Thermal decomposition products: Nitrous oxides (NQ, sodium nitrite and sodium oxide.

TOXICOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Likely routes of exposure (inhalation, ingestion, skin and eye contact)

Eye contact, skin contact and inhalation. Exposure by ingestion is not expected to occur through normal industrial use.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritant to the respiratory tract. Causes serious eye irritation. May cause redness or irritation to the skin. Ingestion of large amounts may cause gastrointestinal disturbances. May cause delayed lung effects after short term exposure to thermal degradation products.

SAFETY DATA SHEET



PRODUCT NAME

SODIUM NITRATE

Product Code: 002/07-US

Date ofissue: January 2014

Supersedes: October 2012

negative

Information on toxicological effects from short and long term exposure

Acute toxicity Species: Method:

LDSO: > 2000 mg/kg bw Rat. OECD Guideline 425

Data obtained by analogy conclusion

Acute dermal toxicity LOSO: > 5000 mg/kg bw Rat. OECD Guideline 402

Data obtained by analogy conclusion

Acute inhalation toxicity LCSO: >0.527 mg/L (4-h) Rat. OECD Guideline403

(maximum achievable concentration)
Data obtained by analogy conclusion

Assessment / classification: Based on available data, the classification criteria are not met

Irritant and corrosive effects

Acute oral toxicity

Irritation to the skin Result Species:

Equivalent/similar to OECD guideline 404 non-irritant. Rabbit. Data obtained by analogy conclusion

Primary dermal irritation index (PDII): 0 of max. 5 (mean) (Time point: 1,24,48,72h)

Irritation to eyes Result Species:

OECD Guideline 437 non-irritant. Invitro study

OECD Guideline 405 Irritant Rabbit.

Assessment / classification: Midly irritating to eyes, category 28: Causes eye irritation.

Respiratory or skin sensitisation

Skin sensitization Result Species: OECD Guideline 429 not sensitising. Mouse.

Respiratory sensitisation Noinformation available.

Assessment / classification: Based on available data, the classification criteria are not met

Genetic effects

In-vitro genotoxicity Method Result

Gene-mutations microorganisms Equivalent or similar to OECD 471 negative (literature information)

OECD Guideline 473/EU B.10

Chromosome aberrations mammalian cells

In-vivogenotoxicity

In-vivo unscheduled DNA Synthesis (UDS) According to Alavantic, D. (1988) negative (literature information)
In-vivo micronucleus assay equivocal (literature information)
In-vivo chromosome aberrations equivocal (literature information)

Assessment / classification:

Overall assessment of data, indicates that sodium nitrate is not genotoxic in vitro and in vivo.

Based on available data, the classification criteria are not met

Reproductive toxicity

No reliable data available for sodium nitrate. Data obtained from chemically related substance.

Adverse effects on sexual function and fertility

OECD guideline 422. NOAEL(C): 1500 mg/kg/d Rat.

Adverse effects on developmental toxicity

OECD guideline 422. NOAEL(C): 1500 mg/kg/d Rat.

At the highest dose tested, no effects on fertility or development were observed in this repeated dose toxicity study. Data from

other nitrate substances are in line with this study.

Assessment / classification: Based on available data , the classification criteria are not met

Specific target organ toxicity (single exposure)

Practical experience / human evidence

No relevant effect have been observed after single exposure to sodium nitrate.

Assessment / classification: Based on available data, the classification criteria are not met

Specific target organtoxicity (repeated exposure)

Several oral repeated dose studies with sodium nitrate are available, however, most of them lack of reliability.

A reliable study with potassium nitrate did not show effects at highest dose tested.

OECD guideline 422. Effect dose: Organs affected:

NOAEL(C): 1500 mg/kg bw/day None 5 of 8

SQM THE WORLDWIDE BUSINESS FORMULA

SAFETY DATA SHEET

SODIUM NITRATE

002/07-US

Date of issue: January 2014 Supersedes: October 2012

Assessment /classification: Based on available data, the classification criteria are not met

Aspiration hazard

Physicochemical data and toxicological information does not indicate an aspiration hazard.

Assessment / classification: Based on available data, the classification criteria are not met

Carcinogenicity

No substance related neoplastic lesions were observed in a chronic toxicity study (literature information) International Agency for Research on Cancer {IARC} Inadequate animals and humans evidence

National Toxicology Program (NTP)Not listed29 CFR part 1910, subpart ZNot listedCalifornia Proposition 65Not listed

PRODUCT NAME

Product Code:

WHO (2003) Nitrate indrinking water No association between nitrate exposure in humans and the risk of

cancer

Assessment / classification: Based on available data, the classification criteria is not met

Other Toxicological Information

This product contains trace amounts of naturally-occurring perchlorate and iodate. Like other goitrogenic substances,

perchlorate may affect iodine uptake by thyroid under specific conditions.

112 ECOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Ecotoxicity

Aquatic Toxicity

Aquatic toxicity (literature information)
96-h LCSO 6000 mg/L freshwater fish (literature information)
96-h LCSO 4400 mg/L marine water fish (literature information)
24-h ECSO 8600 mg/L Daphnia magna (fresh water flea). (literature information)

10d ECSO > 1700 mg/L Several algae species

Data obtained by analogy conclusion

Assessment / classification Based on available data, the classification criteria are not met

Persistence and degradability

In aqueous compartments, the substance will dissociate into sodium and nitrate ions. Other minor compounds are also expected to be dissociated in their corresponding ions. Sodium ions are not subject to further degradation. Under anoxic conditions, nitrate is subjected to denitrification and is ultimately converted into molecular nitrogen as part of the nitrogen cycle. Nitrate and other oxyanions impurities are likely to be found in oxic compartments.

Bioaccumulative potential

Sodium nitrate has a low potential for bioaccumulation based on physicochemical properties (high water solubility).

Mobility insoil

Nitrate has a low potential for adsorption. Portion not taken up by plants, can leach to groundwater. Sodium can participate in ionexchange processes.

Other adverse effects

Excess nitrate leaching may enrich waters leading to eutrophication.

113. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable federal and state laws.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal method in compliance with applicable regulations.

Sodium nitrate waste exhibiting the characteristic of ignitability has the EPA Hazardous Waste Number of DOOI according to the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

SQM THE WORLDWIDE BUSJNESS FORMULA

SAFETY DATA SHEET

SODIUM NITRATE

002/07-US

Date of issue: January 2014 Supersedes: October 2012

114. TRANSPORTATION INFORMATION

Product Code:

US DOT {49CFR part 172)

UN-No. 1498

PRODUCT NAME

UN Proper Shipping Name SODIUM NITRATE

Hazard class S. ■
Packing group III

Hazard label(s) S.I (oxidizer)

Special marking No

Special Provision AI; A29; 188; IP3; TI; TP33; WI

International Maritime Organization (IMDG Code)

UN-No. 1498

UN Proper Shipping Name SODIUM NITRATE

Hazard class 5.1
Packing group III
Marine pollutant No

Hazard label(s) 5.1(oxidizer)

Special marking No Special Provision 964

International Civil Aviation Organization (ICAO) and International Air Transport Association (IATA)

UN-No. 1498

UN Proper Shipping Name SODIUM NITRATE

Hazard class 5.1 Packing group III

Hazard label 5.1(oxidizer)

Special marking No

Special handling procedure

None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Other special precautions

None

11s. REGULATORY INFORMATION

US Federal

SARA Title IIIRules

Section 311/312 Hazard Classes

Acute HealthHazard Yes (Irritant)

Chronic Health Hazard No

Fire Hazard Yes (Oxidizer)

Release of Pressure No Reactive Hazard No

Section 313 Toxic Chemicals

NSII Nitrate compounds (water dissociable; reportable only when in aqueous solution)

Section 302 Extremely Hazardous Substances (EHS)/CERCLA Hazardous Substances

Sodium nitrate is not listed

OHS - Chemical of Interest (Appendix A to 6CFR Part 27)

Sodium nitrate is listed (ACG)

SAFETY DATA SHEET



PRODUCT NAME

SODI UMNITRATE

Product Code: 002/07-US
Date of issue: January 20

Dateofissue: January 2014 Supersedes: October 2012

NFPA 704/2012: National Fire Protection Association

Health 1
Fire 0
Instability 0
Special OX

US State Regulations

California Proposition 65 Sodium nitrate is not listed

California Code of Regulations Title 22 (Health & Safety See http://www.dtsc.ca.gov/haza rdouswaste/perchlorate/

Code), Chapter 33

Canada

Ingredient Disclosure List: Sodium nitrate is listed

WHMIS Classification: Class C (Oxidizer), D2B (Eye irritation)

This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

European Union

Classification according to Regulation (EC) No 1272/2008 (EU-GHS/CLP)

Hazard classes and Hazard categories Hazard statements

Ox. Sol. 3 H272 Eyelrrit. 2 H319

Chemical Inventories

United States TSCA

Canada DSL

Mexico (JNSQ)

Sodium nitrate is listed

European Union (EINECS)

China (IECS)

Sodium nitrate is listed

Korea (KECJ)

<u>!16.</u> OTHER INFORMATION

This SDS complies with 29 CFR part 1910 subpart $\mathbb Z$ (2012), Canada Controlled Products Regulations (2010) and ANSI Standard 2400.1-2004

Data source Sodium nitrate REACH (EC) Registration Dossier

Prepared by Regulatory Affairs Department, SQM

E-mail product_safety@sqm. com

ind-northamerica@sqm.com

Date of issue: January 2014 Supersedes October 2012

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall SQM be liable for any claims, losses, or damages of any third party or for lost profits or any special,indirect, incidental,consequential or exemplary damages, howsoever arising, even if SQM has been advised of the possibility of such damages.

Indication of changes

Version 7 (January 2014) Revised version. Section 15: Additional regulatory information. Section 16: Data source was added.

(December 2012) New version.All sections were reviewed and modified to comply with 29CFR part 1910 subpart Z

(2012).

Version 6 (March 2012) All sections were reviewed, contents were updated and format was changed.